

CRANE BODIES



20-SERIES CRANE BODY
25-SERIES CRANE BODY
RM-45 SERIES CRANE BODY
RM-78 SERIES CRANE BODY
MECHANIC SERVICE BODY





20-SERIES

From the oil field to the construction site, our 20-series bodies equip Class 3-4 chassis with up to 4,000 lbs. of dependable lifting power. We can outfit your mechanic's truck with a 9' or 11' body with a crane or compressor that's as versatile as it is maneuverable. Our 20-series is set up for dual outriggers to deliver true 4,000 lb. lifting capability, and a 21" workbench bumper to keep your crew productive. This is a true midweight body that delivers powerful lifting capability and conquers the toughest jobs.



25-SERIES

When it comes to the largest lifts an electric crane can deliver, the 25-series is ready to work, with cranes up to 6,000 lbs. (35,000 pound-feet). Starting with a torsion box understructure, the 25-series adds a variety of body and storage configurations to fit any need. For mid-duty lifts of 5,000–6,000 lbs., the 25-series is a true crane body with everything you need, and nothing you don't.



RM-45

The revolutionary RM-45 reflects more than a year of development between our engineering and design expertise plus input from customers in the field. The result is the all-new RM-45, built to pair with 8,000 lb. cranes, and deliver 45,000 pound-feet of lifting capability. We gave the body a torsion box understructure for a strong foundation, improved safety and lighting to protect your crew, and rethought the ownership experience by making it easier than ever to customize the body with accessories.



RM-78

The RM-78 is the next big idea in crane bodies. Building on the torsion box understructure and modern design of the RM-series and made to match Class 6–7 chassis, the RM-78 is built for the toughest work. When outfitted with a 10,000 or 12,000 lb. crane, it's ready to take whatever you can throw at it. The RM-78 is available in 11' or 14' lengths.



MECHANIC

Vocations like mobile service, oil and gas industries and heavy construction sometimes need all the toughness of a crane body, without the crane. To serve these industries, Reading offers our traditional Mechanic Service Body. With features like workbench bumpers, 60" tall compartments with drawer units, work lights, and air compressor and welder setups, the Reading Mechanic Service Body is the trusted way to build the ultimate mobile workshop.

STANDARD FEATURES **CRANE BODY**



STANDARD FEATURES

FEATURES APPLY ONLY TO RM SERIES.

1 TORSION BOX UNDERSTRUCTURE

Our torsion box understructure provides the strength to help the industry's best cranes deliver their full potential — our RM bodies achieve 100% capacity rating throughout the lifting zone, with no derating. No wonder a torsion box design is preferred where high strength and low weight matter — from airplane wings to bridges.

Our innovative understructure design makes it uncommonly easy for your professional installer to upfit hydraulic and electrical systems right through the body, with access ports to simplify routing and save time and money.

2 SPRAY LINER AND RUST PROTECTION

A professional-grade spray-on bedliner. Polyurea material provides outstanding protection against chips, scuffs and damage while minimizing rust. It features a slip-resistant surface that improves traction and safety when walking in the bed. (Optional on 20-series)

3 TOWING CAPABILITY

When you need to tow, we have you covered. All our RM bodies have structural tow hitches that are tested and rated for up to 18,000 to 30,000 lbs. (Varies by model)*

4 HEADACHE RACK

The newly designed headache rack protects the cab and provides the ideal mounting location for the RM family's available on-body work lighting. The headache rack doubles as a wire channel to keep wiring away from hazardous materials that may be stored in the tank compartment (if equipped).

5 STROBE LIGHTS

Stay safe and visible with standard strobe lights on the back of all our RM-series crane bodies. When connected to upfitter switches in the cab, strobe lights help protect you and your crew with the flip of a switch.

WEATHERPROOFING

Our Dual-Pro® door seal system combines automotive-quality weatherstripping with a mechanical design that channels water away from your storage compartments.

TAILGATE

The slam-action tailgate features one-handed opening, just like a pickup truck. All the hardware is constructed from stainless steel components for durability, longevity and long-lasting professional appearance.

ADJUSTABLE SHELVING

Professional-grade divider shelving is infinitely adjustable on strut channels, so you can arrange the shelves exactly where you want them, and add your own accessories using industrystandard hardware.

LED BRAKE LAMPS

LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors.

10 COMPRESSION HANDLES

Our ergonomically designed compression handles are easy to use even while wearing gloves. With a full chrome polished appearance, they look as great as they work. (Not available in MM120/220)

11 WORKBENCH BUMPERS (OPTIONAL)

Our RM lineup includes a selection of matching workbench bumpers, designed to nest with RM outriggers for a neat, integrated appearance. Workbench bumpers have built-in grip steps on each side with large-sized grab handles. There's nothing to fold or unfold so they're always ready. The RM is designed to provide OSHA-compliant "three points of access" for when you climb in and out of the load space. (Steps and handle are optional on 20-series)



HINGES

Hinges are external to the body for maximum clear access to the compartments, protected from the elements by a fully concealed pin and use marine-grade stainless steel bearings to ensure smooth, reliable operation. Hinge fasteners are internal to the body and are pry-resistant.



TIE-DOWN RINGS

Four fully integrated tie-down rings in the load floor (six on 14' bodies) allow you to use the entire bed when the tiedowns are not being used.

BUILD YOUR IDEAL PACKAGE

Our RM bodies are designed to work with the following equipment as a complete system to help you create the ultimate mechanic's truck. These accessories are priced separately, to help your upfitter or distributor create a truck that's right for you and your work.

SERVICE CRANES

Along with the body itself, cranes are really the muscle of the mechanic's truck. Our RM-series pairs well with all industry-leading cranes, including popular cranes from Palfinger and Stellar. Typical cranes range from 3,200 lbs. to 12,000 lbs. of lift capability, with both electric- and hydraulic-powered options.

CRANE CONTROL CENTER

Our all-new Crane Control Center lets you operate the outriggers with the push of a button, turn interior and exterior lighting on/off and control PTO, the compressor and more. Designed to pair with both Palfinger and Stellar crane setups, as well as air compressor systems by Vanair® and CAS.



STABILIZERS

Whether you're building a nimble 4,000 lb. crane truck or need the ultimate capability of a 12,000 lb. lift, we have the right outriggers (stabilizers) to round out your mechanic's truck for a safe lift every time. For the 8,000 lb. class and above, we set the standard with full-power hydraulic outriggers that deliver the confidence of electronic pushbutton control. It's safety and convenience working together.

HYDRAULIC POWER SETUP WITH INTELLIGENT ELECTRONIC CONTROL

For upfits with a hydraulic crane, outriggers or compressor, we have pre-selected hydraulic setups to manage the fluid power, including valve blocks that accept electronic control. Deploy your outriggers by pushing one button. Done and done. (RM-45 and above)

HYDRAULIC TANK AND SECONDARY BULKHEAD SETUP

Our available hydraulic tank setup fits perfectly in the load space, with a secondary bulkhead to protect the tank from cargo damage. The secondary bulkhead has cutouts to view the fill gauge on the tank and removes easily for service. (RM-45 and above)

AIR POWER

Our RM bodies have reinforced sidepacks designed to accept top-mount air compressors to power your heavy-duty air tools. Most models have available mounting plates to make installing or reconfiguring easy. Choose from heavy-duty Vanair or CAS air compressors. Both hydraulic-driven and outboard motor-powered compressors are available, depending on whether your upfit design includes hydraulic power.

HOW TO CHOOSE A HYDRAULIC OR ELECTRIC CRANE:

The choice is yours. Electric- and hydraulic-powered cranes perform many of the same tasks and are controlled by the operator the same way. The difference depends on your application.

Electric cranes are easier to install and are typically used in lower-capacity applications (up to about 6,000 lbs.) or lower duty cycles (a few times per day).

Hydraulic cranes offer greater capability (up to 12,000 lbs. with RM bodies) and heavy-duty cycles (many times per day), but they require the more complex design of a fluid-power setup (PTO, pump and distribution).

Since all crane trucks require expert installation, periodic inspection, maintenance and operator training, we're your best partner to understand your needs, choose the perfect crane and body package for your specific application, and provide service after the sale.



CRANE BODIES

POPULAR OPTIONS



Create a secure seal on your service body compartment doors without sacrificing convenience, all with the snap of a single handle and padlock. The master-locking steel slide bar simultaneously locks an entire compartment side to keep your tools and other equipment safe.

WORK AREA FLOODLIGHTS

We know work isn't always 9 to 5. Our RM crane bodies are designed to accept floodlights to increase your work-area visibility. Ultrabright LED 4,500-lumen lamps swivel to where you need them and keep you working safely after dark.



DRAWER SYSTEMS

We offer high-quality tool drawer units, specifically designed for our compartments to maximize storage volume. From tall tool cabinets that fill the tallest 60" compartment, to bolt bins to organize small parts, to a low-profile "welder's drawer," our RM is ready to keep your tools at hand so you can focus on your work. Set up your ideal compartment layout, or ask one of our crane body experts what's best for your work.



COMPARTMENT LIGHTING

Dependable LED strip lighting in compartments keeps you at your most productive. We design for reliability so our RM body compartments are set up for strip lights to be mechanically fastened, not stuck with adhesive — for all-weather, all-condition performance. Strip lighting can be controlled using the Crane Control Center (on RM-45 and above) or the chassis upfitter switches.

Strip lighting in compartments works together with the crane compartment control panel, activating the lights with the push of a button. LED strobe lighting on the front and rear of the body and an additional light for the cargo bed are available.



RETRACTABLE UTILITY BED COVER (RUBC)


Looking for hassle-free security? Our RUBC delivers. Keeping your cargo protected has never been more convenient. RUBC comes with either electric or spring-loaded options for easy opening and closing. (20-series only)




20 SERIES

- Midweight body that lifts like a heavyweight.
- Professional-grade workbench bumper with 3-point access, strobe lights, tool drawers, compressor combinations.
- Easy to craft a mechanic's truck package that's tough and versatile.
- Recommended chassis Class 3-4: Ford F-350/F-450;
 GM 3500HD/4500HD; RAM 3500/4500; International CV.

MM120



CURBSIDE VIEW



COMPARTMENT SIZES

	V1	33" W x 40" H	19.5" D
	Н	47" W x 18.5" H	19.5" D
	VR	28" W x 40" H	19.5" D


LENGTH 108"	HEIGHT 40"	WIDTH 40"
TYP. WEIGHT	2,125	

COMPARTMENT SIZES


V1	33" W x 60" H	19.5" D
Н	47" W x 18.5" H	19.5" D
VR	28" W x 40" H	19.5" D

LENGTH 108"	HEIGHT 40"	WIDTH 40"
TYP. WEIGHT	2,225	

MM220



CURBSIDE VIEW



COMPARTMENT SIZES

V1	36" W x 40" H	19.5" D
V2	21" W x 40" H	19.5" D
Н	47" W x 18.5" H	19.5" D
VR	28" W x 40" H	19.5" D

LENGTH 132"	HEIGHT 60"	WIDTH 96"
TYP. WEIGHT	2,315	

COMPARTMENT SIZES

V1	36" W x 60" H	19.5" D
V2	21" W x 60" H	19.5" D
		15.05
Н	47" W x 18.5" H	19.5" D
VR	28" W x 40" H	19.5" D

LENGTH 132"	HEIGHT 60"	WIDTH 96"
TYP. WEIGHT	2,445	


All measurements are the internal compartment sizes to the nearest 0.5", and do not account for obstructions from hinges, latches and more. For detailed measurements, please request a specification sheet.



25 **SERIES**

- A tough 11' crane body built to pair with most 5,000 and 6,000 lb. electric cranes for up to 35,000 lb.-ft.
- Tough-built sidepacks with treadplate overlays, and a wide array of customization.
- Premium A60 galvannealed steel construction.
- Recommended chassis Class 4: Ford F-450; Chevrolet 4500; RAM 4500; International CV.

STANDARD 46" COMPARTMENTS





COMPARTMENT SIZES

	CURBSIDE	ROADSIDE	
V1	32" W x 46" H	27" H x 46" W	22" D
V2	25" W x 46" H	30" H x 46" W	22" D
Н	48" W x 22" H	48" H x 22" W	22" D
VR	26" W x 46" H	26" H x 46" W	22" D

LENGTH 131 "	HEIGHT 46"	WIDTH 96"
TYP. WEIGHT	3,175	

OPTIONAL 60" RAISED COMPARTMENTS





COMPARTMENT SIZES

	CURBSIDE	ROADSIDE	
V1	32" W x 60" H	27" W x 60" H	22" D
V2	25" W x 60" H	30" W x 60" H	22" D
н	44" W x 22" H	44" W x 22" H	22" D
VR	26" W x 46" H	28" W x 46" H	22" D


LENGTH 131 "	HEIGHT 60"	WIDTH 96"
TYP. WFIGHT	3.275	



RM-45 SERIES

- Designed and tested to pair with 8,000 lb. cranes (up to 45,000 lb.-ft. rating).
- Thoroughly re-engineered and reimagined for safety and productivity.
- Pair the body with an 8,000 lb. crane and Reading's new intelligent crane control panel, which delivers ease of push-button outrigger control.
- Recommended chassis Class 5: **Ford F-550; Chevrolet 5500HD; Ram 5500.** Recommended chassis Class 6: **Ford F-600 only; Chevrolet 6500HD.**

STANDARD 44"




COMPARTMENT SIZES

V1	29.5" W x 44" H	22" D
V2	27.5" W x 44" H	22" D
Н	47" W x 22" H	22" D
VR	28" W x 44" H	22" D

LENGTH 132 "	HEIGHT 44"	WIDTH 96"
TYP. WEIGHT	2,600	

WITH 60" FRONT COMPARTMENTS




COMPARTMENT SIZES

V1	29.5" W x 60" H	22" D
V2	27.5" W x 60" H	22" D
н	47" W x 22" H	22" D
VR	28" W x 44" H	22" D

LENGTH 132"	HEIGHT 60"	WIDTH 96"
TYP. WEIGHT	2,735	

WITH 60" COMPARTMENTS



COMPARTMENT SIZES

V1	29.5" W x 60" H	22" D
V2	27.5" W x 60" H	22" D
Н	47" W x 38" H	22" D
VR	28" W x 60" H	22" D

LENGTH 132 "	HEIGHT 60"	WIDTH 96"
TYP. WEIGHT	3,305	




RM-78 SERIES

- Next-generation torsion box understructure designed to deliver an awe-inspiring 12,000 lb. (78,000 lb.-ft.) of lifting power.
- Designed around operator safety, security and convenience.
- As easy to configure and reconfigure as it is to use.
- Recommended chassis Class 6-7, with 22.5" wheels and tires: Ford F-650/F-750; Freightliner; Kenworth; Mack; International; Peterbilt.

RM-78-11

FOR 84" CA CLASS 6-7 CHASSIS CAB



COMPARTMENT SIZES


V1	29" W x 60" H	22" D
V2	27" W x 60" H	22" D
Н	50" W x 30.5" H	22" D
VR	26.5" W x 60" H	22" D

LENGTH 132.5 "	HEIGHT 60"	WIDTH 96"
TYP. WEIGHT	4,125*	

^{*}Pre-production estimated weight.

RM-78-14

FOR 120" CA CLASS 6-7 CHASSIS CAB



COMPARTMENT SIZES

V1	29.5" W x 60" H	22" D
V2	31" W x 60" H	22" D
V3	31" W x 60" H	22" D
н	50" W x 30.5" H	22" D
VR	26.5" W x 60" H	22" D

LENGTH 168"	HEIGHT 60"	WIDTH 96"
TYP. WEIGHT	5,025*	


^{*}Pre-production estimated weight.

MECHANIC SERVICE BODY

- Offers the ultimate toughness of a Mechanic's body design for non-crane applications.
- Available 60" compartments and tool-drawer units deliver ultimate versatility.
- Add an air compressor or welder setup to create a true mobile service truck for heavy industry.
- Models available for Class 3–7 DRW cab chassis.

MM100 BODY

9' BODY FOR 60" CA CLASS 3-5 CHASSIS CAB




COMPARTMENT SIZES

V1	34" W x 42" H	22" D
н	48" W x 22" H	22" D
VR	26" W x 42" H	22" D

LENGTH 108"	HEIGHT 42"	WIDTH 96"
TYP. WEIGHT	1,752	

MM200 BODY

11' BODY FOR 84" CA CLASS 4-5 CHASSIS CAB



*Also available in 60" H for V1 and V2 cabinets. CURBSIDE VIEW


COMPARTMENT SIZES

		CURBSIDE	ROADSIDE	
	V1	32.5" W x 46" H	27" W x 46" H	22" D
	V2	25" W x 46" H	30" W x 46" H	22" D
	н	48" W x 22" H	48" W x 22" H	22" D
Ì	VR	26.5" W x 46" H	26" W x 46" H	22" D
	VR	26.5" W x 46" H	26" W x 46" H	22" D

LENGTH 131 "	HEIGHT 46"	WIDTH 96"
TYP. WEIGHT	2,987	

MM200HD BODY

11' BODY FOR 84" CA CLASS 6-7 CHASSIS CAB



*Also available in 60" H for V1 and V2 cabinets. CURBSIDE VIEW


COMPARTMENT SIZES

	CURBSIDE	ROADSIDE	
V1	32" W x 50" H	28.5" W x 50" H	22" D
V2	25" W x 50" H	28.5" W x 50" H	22" D
н	50" W x 25" H	50" W x 25" H	22" D
VR	26" W x 50" H	26" W x 50" H	22" D

LENGTH 133"	HEIGHT 50"	WIDTH 96"
TYP. WEIGHT	3,138	

MM300HD BODY

14' BODY FOR 120" CA CLASS 6-7 CHASSIS CAB



COMPARTMENT SIZES

V1	32" W x 60" H	26" D
V2	32" W x 60" H	26" D
V3	29" W x 60" H	22" D
н	50" W x 35" H	22" D
VR	26" W x 60" H	22" D

LENGTH 169"	HEIGHT 60"	WIDTH 96"
TYP. WEIGHT	3,927	

READING TRUCK WARRANTY

WARRANTIES AS STRONG AS OUR BODIES.

Your truck is the heart of your business. When it doesn't perform, you can't perform. We back our work truck bodies and installations with some of the strongest, longest warranties in the business. Product registration is fast and easy on our website, readingtruck.com.


CRANE BODIES



INSTALLATION







readingtruck.com



825 E. Wyomissing Blvd. Reading, PA 19611

readingtruck.com

Sold and Serviced Locally by

© 2021 Reading Truck. All rights reserved. Version Number RT21-CB-11

All dimensions subject to plus or minus tolerance of ¼" and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Aluma-Fill, Dual-Pro, Extend-A-Shelf, Latch-Matic, Reading, Redi-Dek, and Spacemaker are registered trademarks of The Reading Group, LLC, (DBA Reading Truck) in the United States and some foreign countries. Trademarks of other firms are property of their respective owners.