



**ENCLOSED  
BODIES**



**READY VAN SL™ BODY  
CLASSIC SERVICE VAN™ BODY  
CLASSIC II™ PANEL BODY**

---

MADE IN THE USA



## ENCLOSED BODIES

Our enclosed bodies take your work to higher levels of productivity by putting a roof over your head. Our Enclosed Vans and Service Panel Bodies protect your tools, cargo, equipment and crew so you can work hard in any environment. With plenty of storage and thoughtfully designed interior cargo space, it's never been easier to stay organized while working the most challenging jobsites.

Choose from our fuel-saving aluminum service vans, our rugged steel Enclosed Vans or our versatile Service Panel Bodies. There are a variety of styles and options to meet any of your needs, and we can custom design an enclosed body to your exact specifications to help you work exactly the way you want.



### **READY VAN SL BODY**

When you're searching for the best steel service vans, remember that we set the bar for durability, functionality and performance. Our Ready Van SL offers exceptional value and is backed by our industry-leading six-year warranty.



### **CLASSIC SERVICE VAN BODY**

Our high-capacity aluminum Classic Service Van offers an enclosed workspace for keeping everything safe and organized. Backed by an industry-leading 10-year warranty, the CSV is the mobile workspace of choice for telecom, plumbers, HVAC and utility contractors.



### **CLASSIC II PANEL BODY**

Our straight and tapered panel bodies feature exterior compartments and an interior workspace that help you safely bring all the parts and tools you require on a jobsite. Wherever you work, the enclosed top design provides year-round, all-weather protection. Our panel bodies are available in galvanized steel or aluminum in a range of sizes that can be custom designed to fit your needs.







**WE'RE HERE TO HELP**  
[readingtruck.com](https://readingtruck.com)





## **IS STEEL RIGHT FOR YOU? OR ALUMINUM? IT DEPENDS.**

Choose our award-winning, lightweight aluminum body to help save fuel, save money and increase your payloads all while carrying the industry's best warranties. Or choose our A60 coating-weight galvanized steel bodies with acrylic E-coat primer and powder coat finish.

Which one works best depends on your job, industry, geography, weather conditions and your specific needs.

### **STEEL**

Sometimes you just need the strength of steel when you are hauling heavy material or equipment in harsh environments.

The strength and resistant properties of steel make it one of the most durable industrial materials. Our premium A60 coating-weight steel and our exclusive triple protection E-coat primer and powder coat finish help to resist corrosion. A steel service body is built for a more demanding environment, like mining, oil and gas, maintenance and rail industries.

### **ALUMINUM**

Over 40 years ago, we were the first manufacturer to produce an aluminum service body. Today, we're a premier manufacturer of aluminum truck bodies in North America.

Aluminum's lightweight properties make it easier on your truck's drive train, which could help lead to a longer life for your truck. While a service body that's lighter on the road can lead to reduced fuel costs, it also allows you to increase your payload, both of which can save you money. And, with aluminum being naturally corrosion-resistant, our durable powder coat finish makes it capable of withstanding years of heavy use — all around better for the environment.

# STANDARD FEATURES STEEL BODY



# STANDARD FEATURES

## STEEL BODY

FEATURES APPLY TO RVSL AND PANEL BODIES UNLESS OTHERWISE NOTED.

---

### 1 LED LIGHTS

LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors.

### 2 SECURE REAR DOORS

Strong, secure rear doors protect your cargo with a stainless steel rotary lock and paddle handle inside door release on the RVSL. The panel body has a rotary lock for the inside door release.

### 3 BUMPERS

A selection of bumpers prevents body damage and gives you a safe, slip-resistant step surface to avoid falls. The frame-mounted bumper constructed from galvanized steel features an E-coat primer and white powder coat finish for extra durability.

### 4 DUAL-PRO® SEAL SYSTEM

Get twice the defense against weather. Our premium Dual-Pro door seal system combines automotive-quality weatherstripping with mechanical seals. Plus, our design increases clear door openings in every compartment.

### 5 GALVANIZED SHELVES

Designed with 2" dividers for plenty of small-item storage.\* Full access between the horizontal and rear vertical compartment lets you store longer tools.

### 6 HEAVY-DUTY COMPARTMENT DOORS

Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge steel panels that can handle the roughest jobsites.

### 7 ROTARY LOCKS

Stainless steel rotary locks look attractive and have no exposed fasteners. They feature a double-bitted, high-quality locking cylinder; adjustable striker pins; and an O-ring seal to stop water intrusion.

### ALUMA-FILL® FUEL RECEPTACLE

Our Aluma-Fill fuel receptacle protects the body and finish from accidental nicks and scratches from fuel nozzles and is more durable than plastic brackets.

### GRAB HANDLE

Safely step into the rear of the service van. (Standard on RVSL. Option on Panel Body.)

---

#### AVAILABLE ONLY ON RVSL:

### 8 BOLT-ON HINGES

Stainless steel bolt-on hinges are protected from the elements with a fully concealed pin and marine-grade stainless steel bearings to ensure smooth, reliable operation.

### 9 SPRING-LOADED DOOR HOLDERS

Spring-loaded door holders on all vertical doors allow easy access to whatever you need by holding the door open in a 90-degree position. It includes a removable hasp to create an extra-wide opening.

### CAB ACCESS DOOR

Easily move between your workspace and the cab. Quiet, smooth-operating, maintenance-free and fully adjustable.\*\*

---

#### AVAILABLE ONLY ON PANEL BODIES:

### HIDDEN HINGES

Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The fully adjustable hinges can be replaced without damage to the body or door.

### GAS STRUT DOOR HOLDERS

Nitrogen gas door struts control opening and closing of all vertical compartment doors.

\* Excludes notched compartments.    \*\* Cutaway models only.



# STANDARD FEATURES ALUMINUM BODY





# STANDARD FEATURES

## ALUMINUM BODY

FEATURES APPLY TO CLASSIC SERVICE VAN.

### 1 HIDDEN HINGES

Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The fully adjustable hinges can be replaced without damage to the body or door.

### 2 LED LIGHTS

LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors. LED marker lights are located above the rear doors.

### 3 SECURE REAR DOORS

Strong, secure rear doors give you maximum cargo protection with a stainless steel rotary lock and paddle handle inside door release.

### 4 REAR ACCESS DOORS

Lockable, drop-down rear access doors provide easy storage of pipes and conduit.

### 5 BUMPER

The bumper prevents body damage and gives you a safe, slip-resistant step surface to help avoid falls. The frame-mounted bumper is constructed from galvanized steel with an E-coat primer and white powder coat finish.

### 6 DUAL-PRO® SEAL SYSTEM

Get twice the defense against weather. Our premium Dual-Pro door seal system combines an automotive-quality weather-stripping with mechanical seals. Our design increases clear door openings in every compartment.

### 7 GALVANIZED SHELVES

Designed with 2" dividers for plenty of small-item storage.\* Full access between the horizontal and rear vertical compartment lets you store longer tools.

### 8 ROTARY LOCKS

Stainless steel rotary locks look attractive and have no exposed fasteners. They feature a double-bitted, high-quality locking cylinder; adjustable striker pins; and an O-ring seal to stop water intrusion.

### 9 HEAVY-DUTY COMPARTMENT DOORS

Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge aluminum panels to handle years of use.

### 10 GAS STRUT DOOR HOLDERS

Nitrogen gas door struts control opening and closing of all vertical compartment doors.

### 11 MASTER-LOCKING STEEL SLIDE BAR

Simultaneously lock all side compartment doors for instant security. Spring-loaded for easy operation.

### 12 GRAB HANDLE

Safely step into the rear of the service van.

### 13 INTERIOR DOME LIGHTS

The cargo area features two interior LED dome lights with a rear light switch for improved visibility and a well-lit workspace.

### 14 CAB ACCESS DOOR

Easily move between your workspace and the cab. Quiet, smooth-operating, maintenance-free and fully adjustable.\*\*



\* Excludes notched compartments. \*\* Cutaway models only.

# POPULAR OPTIONS



## CONTOURED WIND DEFLECTOR

Built-in fiberglass front wind deflector improves aerodynamics and reduces cab noise for greater comfort. (Available on 75" models only)

## LATCH-MATIC® SECURITY SYSTEM



Our Latch-Matic system adds power locking to all main compartment doors. It can be controlled with your existing OEM key fob remote and chassis power door locks. When the Latch-Matic system is integrated into the chassis, the driver's key fob and door lock switches will lock and unlock the service body and the chassis doors. The LED compartment and dome lighting will automatically go off after ten minutes.



## LED COMPARTMENT LIGHTING

Flex strip lighting in the compartments are activated when the doors open and close. The dome lighting is turned on/off with a switch on the light, unless Latch-Matic is installed.



### **LADDER RACK**

Aluminum, three-bar, roof-mounted overhead ladder rack frees up interior storage space. Single and dual pull-down assist ladder racks are available.

### **ACCESS LADDER**

Enjoy easy access to roof-mounted ladder racks. Can be mounted curbside or roadside. (Available on CSV 72"/75" and RVSL 72"/75" models only)





## MASTER-LOCKING STEEL SLIDE BAR

Protect your valuables with the master-locking steel slide bar. It simultaneously locks all side compartment doors for instant security and peace of mind. Spring-loaded for easy operation. (Standard on CSV models)


## VISIBILITY PACKAGE

A 6" x 24" window with a protective screen in each rear cargo door lets more light into your workspace and improves visibility.



## RECEIVER HITCH

Designed to fit your heavy-duty towing needs.








# BODIES FOR FORD TRANSIT

- For Ford Transit, choose steel or aluminum.
- Reading bodies are available for Ford Transit Cutaway and Transit Chassis Cab.
- Available in: **RVSL STEEL** **CSV ALUMINUM**

## READY VAN SL – STEEL FORD TRANSIT CUTAWAY



CURBSIDE VIEW

### CHOICE OF:

#### 57" H BODY COMPARTMENT SIZES

<b>V1</b>	31" W x 40" H	15.5" D
<b>V2</b>	26" W x 40" H	15.5" D
<b>H</b>	52" W x 19" H	15.5" D
<b>VR</b>	23" W x 40" H	15.5" D


LENGTH <b>132</b>	INTERIOR HEIGHT <b>57</b>	WIDTH <b>85.5</b>
TYP. WEIGHT	STEEL <b>2,120</b>	

#### 72" H BODY COMPARTMENT SIZES

<b>V1</b>	31" W x 40" H	15.5" D
<b>V2</b>	26" W x 40" H	15.5" D
<b>H</b>	52" W x 19" H	15.5" D
<b>VR</b>	23" W x 40" H	15.5" D

LENGTH <b>132</b>	INTERIOR HEIGHT <b>72</b>	WIDTH <b>85.5</b>
TYP. WEIGHT	STEEL <b>2,245</b>	

## CLASSIC SERVICE VAN – ALUMINUM FORD TRANSIT CUTAWAY • TRANSIT CHASSIS CAB



CURBSIDE VIEW

### CHOICE OF:

#### 57" H BODY COMPARTMENT SIZES

<b>V1</b>	31" W x 40" H	15.5" D
<b>V2</b>	26" W x 40" H	15.5" D
<b>H</b>	52" W x 19" H	15.5" D
<b>VR</b>	23" W x 40" H	15.5" D

LENGTH <b>132</b>	INTERIOR HEIGHT <b>57</b>	WIDTH <b>85.5</b>
TYP. WEIGHT	ALUMINUM <b>1,285</b>	

#### 72" H BODY COMPARTMENT SIZES

<b>V1</b>	31" W x 40" H	15.5" D
<b>V2</b>	26" W x 40" H	15.5" D
<b>H</b>	52" W x 19" H	15.5" D
<b>VR</b>	23" W x 40" H	15.5" D


LENGTH <b>132</b>	INTERIOR HEIGHT <b>72</b>	WIDTH <b>85.5</b>
TYP. WEIGHT	ALUMINUM <b>1,415</b>	



# BODIES FOR FORD E-SERIES & GM G-VAN

- Includes Chevrolet Express and GMC Savana.
- For traditional cutaway van chassis, choose steel or aluminum.
- Available in: **RVSL STEEL** **CSV ALUMINUM**

## READY VAN SL - STEEL FORD E-SERIES • GM G-VAN



CURBSIDE VIEW

### CHOICE OF:

#### 57" H BODY COMPARTMENT SIZES

<b>V1</b>	31" W x 40" H	15.5" D
<b>V2</b>	26" W x 40" H	15.5" D
<b>H</b>	52" W x 19" H	15.5" D
<b>VR</b>	23" W x 40" H	15.5" D


LENGTH <b>132</b>	INTERIOR HEIGHT <b>57</b>	WIDTH <b>85.5</b>
TYP. WEIGHT	STEEL <b>2,350</b>	

#### 75" H BODY COMPARTMENT SIZES (SW/DW)

<b>V1</b>	31" W x 40" H	15.5"/20" D
<b>V2</b>	26" W x 40" H	15.5"/20" D
<b>H</b>	52" W x 19" H	15.5"/20" D
<b>VR</b>	23" W x 40" H	15.5"/20" D

LENGTH <b>132</b>	INTERIOR HEIGHT <b>75</b>	WIDTH <b>85.5/95.5</b>
TYP. WEIGHT	STEEL <b>2,675/2,875</b>	

## CLASSIC SERVICE VAN - ALUMINUM FORD E-SERIES • GM G-VAN



CURBSIDE VIEW

### CHOICE OF:

#### 57" H BODY COMPARTMENT SIZES

<b>V1</b>	31" W x 40" H	15.5" D
<b>V2</b>	26" W x 40" H	15.5" D
<b>H</b>	52" W x 19" H	15.5" D
<b>VR</b>	23" W x 40" H	15.5" D

LENGTH <b>132</b>	INTERIOR HEIGHT <b>57</b>	WIDTH <b>85.5</b>
TYP. WEIGHT	ALUMINUM <b>1,278</b>	

#### 75" H BODY COMPARTMENT SIZES (SW/DW)

<b>V1</b>	31" W x 40" H	15.5"/20.5" D
<b>V2</b>	26" W x 40" H	15.5"/20.5" D
<b>H</b>	52" W x 19" H	15.5"/20.5" D
<b>VR</b>	23" W x 40" H	15.5"/20.5" D


LENGTH <b>132</b>	INTERIOR HEIGHT <b>75</b>	WIDTH <b>85.5/95.5</b>
TYP. WEIGHT	ALUMINUM <b>1,428/1,543</b>	



# BODY FOR LOW CAB FORWARD CHASSIS

- For Low Cab Forward chassis up to 16,500 lb. GVWR.
- Includes roll-up rear door.
- DW only.
- Available in: **CSV ALUMINUM**

## CLASSIC SERVICE VAN – ALUMINUM ISUZU NPR • CHEVROLET LCF



CURBSIDE VIEW

### COMPARTMENT SIZES

<b>V1</b>	31" W x 30" H	15.5" D
<b>V2</b>	26" W x 30" H	15.5" D
<b>H</b>	52" W x 19" H	15.5" D
<b>VR</b>	23" W x 47" H	15.5" D
<b>LF</b> <i>roadside only</i>	57" W x 17" H	15.5" D

LENGTH <b>132</b>	INTERIOR HEIGHT <b>72</b>	WIDTH <b>85.5</b>
TYP. WEIGHT	ALUMINUM <b>1,522</b>	






# BODIES FOR TRUCK CHASSIS

- Equipped with spacious outside storage compartments with completely enclosed cargo and work area.
- Available in: **CLASSIC II STEEL** **CLASSIC II ALUMINUM OVER STEEL** **CLASSIC II ALL ALUMINUM**

## 98" CLASSIC II PANEL BODY FOR 56" CA PICKUP CHASSIS



CURBSIDE VIEW

### COMPARTMENT SIZES (SW/DW)

<b>V1</b>	28" W x 40" H	13"/20" D
<b>H</b>	47" W x 18.5" H	13"/20" D
<b>VR</b>	23" W x 40" H	13"/20" D


### OPTIONAL SPACEMASTER ACCESS PACKAGE

<b>SMX†</b>	48.5" W x 14" H*
-------------	------------------

Requires Tapered Profile. Available in most configurations.

WIDTH	SW <b>77.5</b>	DW <b>91.5</b>
-------	----------------	----------------

## 108" CLASSIC II PANEL BODY FOR 60" CA CHASSIS CAB



CURBSIDE VIEW

### COMPARTMENT SIZES (SW/DW)

<b>V1</b>	33" W x 40" H	13"/20" D
<b>H</b>	47" W x 18.5" H	13"/20" D
<b>VR</b>	28" W x 40" H	13"/20" D


### OPTIONAL SPACEMASTER ACCESS PACKAGE

<b>SMX†</b>	48.5" W x 14" H*
-------------	------------------

Requires Tapered Profile. Available in most configurations.

WIDTH	SW <b>77.5</b>	DW <b>91.5</b>
-------	----------------	----------------

## 132" CLASSIC II PANEL BODY FOR 84" CA CHASSIS CAB



CURBSIDE VIEW

### COMPARTMENT SIZES

<b>V1</b>	36" W x 40" H	20" D
<b>V2</b>	21" W x 40" H	20" D
<b>H</b>	47" W x 18.5" H	20" D
<b>VR</b>	28" W x 40" H	20" D

### OPTIONAL SPACEMASTER ACCESS PACKAGE

<b>SMX†</b>	35" W x 14" H*
-------------	----------------

Requires Tapered Profile. Available in most configurations.

WIDTH	DW <b>91.5</b>
-------	----------------

\* Size may vary by model height.


† SMX provides access to continuous shelf inside unit.



# BODIES FOR TRUCK CHASSIS


## TAPERED PROFILE

Weights vary by configuration. Ask for details.




**44" HIGH**

	AVAILABLE IN	
	SW	DW
98	✓	—
108	✓	—
132	—	—




**50" HIGH**

	AVAILABLE IN	
	SW	DW
98	✓	✓
108	✓	✓
132	—	✓



**60" HIGH**

	AVAILABLE IN	
	SW	DW
98	✓	✓
108	✓	✓
132	—	✓




**72" HIGH**

	AVAILABLE IN	
	SW	DW
98	—	—
108	—	✓
132	—	✓


## STRAIGHT PROFILE

Weights vary by configuration. Ask for details.




**44" HIGH**

	AVAILABLE IN	
	SW	DW
98	✓	—
108	✓	—
132	—	—




**50" HIGH**

	AVAILABLE IN	
	SW	DW
98	✓	✓
108	✓	✓
132	—	✓



**60" HIGH**

	AVAILABLE IN	
	SW	DW
98	✓	✓
108	✓	✓
132	—	✓



**72" HIGH**

	AVAILABLE IN	
	SW	DW
98	—	—
108	—	✓
132	—	✓

# READING TRUCK WARRANTY

## WARRANTIES AS STRONG AS OUR BODIES.

Your truck is the heart of your business. When it doesn't perform, you can't perform. We back our work truck bodies and installations with some of the strongest, longest warranties in the business. Product registration is fast and easy on our website, [readingtruck.com](http://readingtruck.com).

### STEEL ENCLOSED BODIES



### ALUMINUM ENCLOSED BODIES



### INSTALLATION





## NO ONE KNOWS WORK TRUCKS BETTER THAN US.

We are a leading manufacturer and distributor who has been designing and building work truck bodies with outstanding craftsmanship for more than 65 years. You can depend on us for safe, durable truck bodies; expert installation; and all the parts, equipment, accessories and services you need to get the job done.

Our products are available through any of our Reading Truck centers or our extensive national network of distribution partners. You'll find everything you need to outfit a single truck or an entire fleet.

Our success comes from putting you first; understanding what you need to work at your very best and being there for you.



825 E. Wyomissing Blvd.  
Reading, PA 19611

**readingtruck.com**

**Sold and Serviced Locally by**



**© 2024 The Reading Truck Group, LLC., Reading, PA.  
All Rights Reserved.**

**Version Number L102-C (10/2024)**

The models shown may include optional features and accessories that are not part of the base model. All dimensions subject to plus or minus tolerance of  $\frac{1}{4}$ " and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Aluma-Fill, Dual-Pro, Extend-A-Shelf, Latch-Matic, Reading Truck, Redi-Dek, and Spacemaker are registered trademarks of The Reading Truck Group, LLC, (DBA Reading Truck) in the United States and some foreign countries. Trademarks of other firms are property of their respective owners.